

# IRON BALTIC

## PLASTIC SKID PLATE

# ARCTIC CAT

## 550 / 700

Code 02.9500

Version 30102023

DOWNLOAD MULTILINGUAL  
USER MANUAL



[code.ironbaltic.com/u/ZgastRLT](https://code.ironbaltic.com/u/ZgastRLT)



**Keep this manual for future reference!**

If you need any spare parts, please send this packaging data to your local dealer or to Iron Baltic  
[sales@ironbaltic.com](mailto:sales@ironbaltic.com)

Iron Baltic Ltd | +372 653 3711 | [sales@ironbaltic.com](mailto:sales@ironbaltic.com) | [www.ironbaltic.com](http://www.ironbaltic.com)

# SPECIFICATION


Pos.	Description	Code	Amount
1	Skid plate middle part	02.9501	1
2	Skid plate front part	02.9502	1
3	Skid plate rear part	02.9503	1
4	Front left arm protection	02.11104	1
5	Front right arm protection	02.11105	1
6	Rear left arm protection	02.11106	1
7	Rear right arm protection	02.11107	1
8	Bracket (shorter)	02.6609	2
9	Bracket (longer)	02.6610	2
10	Installation plate	02.5006	5
11	Installation bracket	02.4606	4
12	Dished washer	14.503	38
13	Bolt M6x16 DIN 933	OT.02.02.050	10
14	Bolt M6x20 DIN 933	OT.02.02.060	14
15	Bolt M6x30 DIN 933	OT.02.02.080	6
16	Bolt M8x35 DIN 933	OT.02.02.210	2
17	Bolt M8x40 DIN 933	OT.02.02.220	4
18	Bolt M8x45 DIN 933	OT.02.02.230	4
19	Washer Ø6/15 SFS 3738	OT.04.03.020	32
20	Washer Ø8/20 SFS 3738	OT.04.03.030	2
21	Nut M6 Nyloc DIN 985	OT.03.02.030	2



# FITTING INSTRUCTIONS


## Step 1

Remove all standard plastic covers.  
Re-install original front end screws, after removing original plastic protection.




## Step 2

Install middle protection 02.9501.




### Step 3

Install plates 02.5006 to middle protection.




### Step 4

Install front protection 02.9502.




**Step 5**

Install rear protection 02.9503.




**Step 6**

Install front swingarm protections 02.11104 and 02.11105.




## Step 7

Install rear swingarm protections 02.11106 and 02.11107.



### NB!

If ArcticCat is fitted with rear sway bar, then remove the cutout, indicated with arrow, from the rear protection.



# IRON BALTIC

IRON BALTIC OÜ  
Joa tee 17  
Vääna 76903  
Estonia / Europe

+372 6 533 711  
[sales@ironbaltic.com](mailto:sales@ironbaltic.com)

[www.ironbaltic.com](http://www.ironbaltic.com)  
[www.facebook.com/ironbaltic](https://www.facebook.com/ironbaltic)  
[www.youtube.com/user/ironbalticLtd](https://www.youtube.com/user/ironbalticLtd)

