



DOWNLOAD MULTILINGUAL  
USER MANUAL



<https://code.ironbaltic.com/u/2QmJHI42>

## MID-MOUNT ADAPTER

# KAWASAKI Mule DX PRO

Code 03.15300

Version 28032024




**Keep this manual for future reference!**

If you need any spare parts, please send this packaging data to your local dealer or to Iron Baltic  
[sales@ironbaltic.com](mailto:sales@ironbaltic.com)

# SPECIFICATION

Pos.	Description	Code	Amount								
1	Adapter	03.15301K	1								
2	Bracket	03.15302	2								
3	Pin 10x40 DIN1444	14.003	2								
4	Cotter pin 2 mm DIN11024	OT.07.01.010	2								
5	Bolt M8x25 DIN933	OT.02.02.190	4								
6	Bolt M8x30 DIN933	OT.02.02.200	2	7	Washer Ø8/20 SFS3738	OT.04.03.030	8	8	Nyloc nut M8 DIN985	OT.03.02.040	2
7	Washer Ø8/20 SFS3738	OT.04.03.030	8								
8	Nyloc nut M8 DIN985	OT.03.02.040	2								




## TOOLS REQUIRED FOR INSTALLATION:

- Spanner 13mm
- Socket wrench 13mm
- Screwdriver PH3

# FITTING INSTRUCTIONS


## Step 1

Remove front plastic protection. If installing adapter on front plastic, cut holes for bolts as shown in the picture before removing the plastic protection.




## Step 2

Place brackets (Pos. 2) to the frame.




### Step 3

Install the adapter (Pos. 1). For fastening use M8x25 bolts (Pos. 5), M8x30 bolts (Pos. 6), Ø8 mm washers (Pos. 7) and M8 nyloc nuts (Pos. 8).




If installing adapter on the plastic protection, reinstall the protection before mounting the adapter, but do not install the bolts shown in the picture!



**Step 4**

Install pins (Pos. 3) to the adapter. Use cotter pins (Pos. 4) to fix the pins.







# IRON BALTIC

IRON BALTIC OÜ  
Joa tee 17  
Vääna 76903  
Estonia / Europe

+372 6 533 711  
[sales@ironbaltic.com](mailto:sales@ironbaltic.com)

[www.ironbaltic.com](http://www.ironbaltic.com)  
[www.facebook.com/ironbaltic](https://www.facebook.com/ironbaltic)  
[www.youtube.com/user/ironbalticLtd](https://www.youtube.com/user/ironbalticLtd)

