



## SUSPENSION SPRING LOCK

Code 14.12200

Version 26072023




**Keep this manual for future reference!**

If you need any spare parts, please send this packaging data to your local dealer or to Iron Baltic [sales@ironbaltic.com](mailto:sales@ironbaltic.com)

# SPECIFICATION

Pos.	Description	Code	Amount
1	Bottom plate	14.12201	2
2	Threaded rod M12	14.12202	4
3	Upper part	14.12203K	2
4	Pipe clamp bracket	14.12205	2
5	Pipe clamp M8x60	OT.05.01.050	2
6	Washer Ø8/20 SFS 3738	OT.04.03.030	4
7	Washer Ø12 DIN 125	OT.04.01.050	4
8	Wing nut M8 DIN 315	OT.03.03.020	4
9	Nut M12 Nyloc DIN 985	OT.03.02.060	4
10	Nut M12 DIN 934	OT.03.01.050	8




## TOOLS REQUIRED FOR INSTALLATION:


- Spanner 19mm

# FITTING INSTRUCTIONS

**Step 1** Install threaded rods (Pos.2) to bottom plate (Pos.1). To fix the rods, use M12 nyloc nuts (Pos.9).



**Step 2** Install M12 nuts (Pos.10), Ø12 washers (Pos.7), pipe clamp bracket (Pos. 4) and upper part (Pos. 3). The pipe clamp bracket can be installed both ways.





### Step 3

Install lock to the suspension. Set the lock to right height, so that the spring is supported and fix the lock with M12 nut (Pos.10). Use the other M12 nut for locking. Next use pipe clamp (Pos.5), Ø8 washers (Pos.6) and wing nuts (Pos.8) to attach lock to the suspension tube. The lock can be installed either way, but **never attach the pipe clamp to the suspension rod!**



#### NB!


**Do not lift the ATV wheels off the ground when installing spring locks! The ATV must rest on the ground with its own weight!**





**NB!**

Suspension lock is adjustable between 130 – 250mm. The maximum suspension tube diameter size allowed is 45mm.



**NB!**

When installing the lock, do not use excessive force when tightening the nuts!  
Maximum speed allowed with spring locks is 15 km/h!





# IRON BALTIC

IRON BALTIC OÜ  
Joa tee 17  
Vääna 76903  
Estonia / Europe

+372 6 533 711  
[sales@ironbaltic.com](mailto:sales@ironbaltic.com)

[www.ironbaltic.com](http://www.ironbaltic.com)  
[www.facebook.com/ironbaltic](https://www.facebook.com/ironbaltic)  
[www.youtube.com/user/ironbalticld](https://www.youtube.com/user/ironbalticld)

