

IRON BALTIC

TRAILER SKIS (2 axle trailer)

DOWNLOAD MULTILINGUAL
USER MANUAL



code.ironbaltic.com/u/4tx5mCw5

Code 29.800S

Version 15122023




Keep this manual for future reference!

If you need any spare parts, please send this packaging data to your local dealer or to Iron Baltic
sales@ironbaltic.com

Iron Baltic Ltd | +372 653 3711 | sales@ironbaltic.com | www.ironbaltic.com

SPECIFICATION


Pos.	Description	Code	Amount
1	Front part	29.804K	2
2	Rear part	29.806K	2
3	Adjustable support left	29.807	2
4	Adjustable support right	29.808	2
5	Carriage bolt M8x50 DIN603	OT.02.05.075	8
6	Washer M8/20 SFS 3738	OT.04.03.030	8
7	Nyloc nut M8 DIN985	OT.03.02.040	8
8	Belt L=2500mm	29.001	2



FITTING INSTRUCTIONS

Step 1

Move your trailer to the skis. If you are installing skis to a trailer with a tire width of 190 mm or smaller, install adjustable supports (Pos. 3, Pos. 4) to the front part of the skis, before driving on the skis. Adjust supports according to the tire width and fasten the supports using M8x50 carriage bolts (Pos. 5), M8 washers (Pos. 6) and M8 nyloc nuts (Pos. 7).



Step 2

Install rear parts of the skis.



Step 3

Install fixing belts.



IRON BALTIC

IRON BALTIC OÜ
Joa tee 17
Vääna 76903
Estonia / Europe

+372 6 533 711
sales@ironbaltic.com

www.ironbaltic.com
www.facebook.com/ironbaltic
www.youtube.com/user/ironbalticLtd

