

IRON^{BALTIC}

DEFLECTOR V-PLOW 1800 G2

DOWNLOAD MULTILINGUAL
USER MANUAL



code.ironbaltic.com/u/Q0a2rLHf

Code 34.3300

Version 15122023




Keep this manual for future reference!

If you need any spare parts, please send this packaging data to your local dealer or to Iron Baltic
sales@ironbaltic.com

Iron Baltic Ltd | +372 653 3711 | sales@ironbaltic.com | www.ironbaltic.com


SPECIFICATION

Pos.	Description	Code	Amount
1	Deflector	34.3301	2
2	Support plate	34.3302	2
3	Bolt M6x20 ISO 7380	OT.02.03.030	8
4	Washer Ø6/18 DIN 9021	OT.04.02.020	8
5	Nut M6 Nyloc DIN 985	OT.03.02.030	8





FITTING INSTRUCTIONS


Step 1 To mark holes, put masking tape to the moldboard.



Step 2 Install rubber visor support plate and mark holes.




Step 3 Remove rubber visor support plate and drill holes, use 6,5mm drill bit. Deburr drilled holes.



Step 4

Install rubber visors.



IRON BALTIC

IRON BALTIC OÜ
Joa tee 17
Vääna 76903
Estonia / Europe

+372 6 533 711
sales@ironbaltic.com

www.ironbaltic.com
www.facebook.com/ironbaltic
www.youtube.com/user/ironbalticLtd

