



LIFT CYLINDER ADAPTER

POLARIS

Ranger 570 SP (2022-...)

Code 71.11400

Version 05012024



Keep this manual for future reference!

If you need any spare parts, please send this packaging data to your local dealer or to Iron Baltic
sales@ironbaltic.com

Iron Baltic Ltd | +372 653 3711 | sales@ironbaltic.com | www.ironbaltic.com



DOWNLOAD MULTILINGUAL
USER MANUAL



code.ironbaltic.com/u/bnaf9q4a

SPECIFICATION


Pos.	Description	Code	Amount
1	Cylinder holder	71.11401K	1
2	Cylinder holder lower bracket	71.11201	1
3	Cylinder lower bracket	71.3003	1
4	Cylinder upper pin	71.3004	1
5	Cylinder lower pin	71.3005	1
6	Bush	71.3006	2
7	Cotter pin 3 DIN 11024	OT.07.01.020	2
8	U-clamp M8x48	OT.05.01.043	2
9	Bolt M8x20 DIN933	OT.02.02.180	4
10	Bolt M12x30 DIN933	OT.02.02.390	1
11	Washer Ø8/20 SFS3738	OT.04.03.030	12
12	Washer Ø12 DIN125	OT.04.01.050	1
13	Nyloc nut M8 DIN985	OT.03.02.040	8
14	Nyloc nut M12 DIN985	OT.03.02.060	1



FITTING INSTRUCTIONS


Step 1

Install cylinder holder lower bracket (Pos.2) to UTV.
Use winch fairlead original bolts.



Step 2

Install cylinder holder (Pos.1) to bottom mount. Use M8x20 (Pos.9) bolts, M8x48 U-bolts (Pos.8), Ø8 mm washers (Pos.11) and M8 nyloc nuts (Pos.13).



Step 3

Install cylinder lower bracket (Pos.3) to plow frame. For fastening use M12x30 bolt (Pos.10), Ø12 mm washer (Pos.12) and M12 nyloc nut (Pos.14).



Step 4

Install cylinder. For fastening use cylinder upper pin (Pos.4), lower pin (Pos.5) and cotter pins (Pos.7). If installing hydraulic cylinder, add bushes (Pos.6) between the cylinder and cylinder holder. NB! Make sure that if the cylinder is in minimum position / the plow is in the raised position the plow and the plow frame does not touch the UTV, if necessary, change the cylinder upper position.



IRON BALTIC

IRON BALTIC OÜ
Joa tee 17
Vääna 76903
Estonia / Europe

+372 6 533 711
sales@ironbaltic.com

www.ironbaltic.com
www.facebook.com/ironbaltic
www.youtube.com/user/ironbalticLtd

